TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION NEWPORT, R.I. MONTH OF FEBRUARY

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	1,710		200	19	10,000		
EXPENDED	425		30	00	6,600		
REMAINING	1,285		170	19	4,400		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,800.40 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	118.00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,918.40 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585		X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL RKS. L/STATION	547	GOOD	NONE

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT
Bobby G. McWilliams
Bobby G. McWilliams BM-1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 1st February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2990		14	BC	ASST	2	8	—	—
0400	SW	2	2992		22	BC	ASST	2	8	—	—
0800	Calm		2994		28	BC	ASST	2	8	—	—
1200	Calm		2999		27	BC	ASST	2	8	—	—
1600	NW	2	3004		24	BC	ASST	2	8	—	—
2000	NE	2	3018		18	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1710	19	10,000
EXPENDED	15	—	200
REMAINING	1695	19	9,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		00	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis

L. M. Adams SN

0400-0800

0400 Checked All A/N vis

0700 Secured Main Light

0800-1200 L. M. Adams SN

0800 Morning colors, Quarters-Turned to station work

1200-1600 L. M. Adams SN

1200 Chow down

1300 Turned to station work

1305 Received P011750Z from Castle Hill L/B/S

1600-2000 L. M. Adams SN

1600- Checked Vis A/N

1630- Secured Station Work Turned on Main Light

1700- Evening Colors

Louis G. White

2000-2400

2000 Checked Vis A/N

Louis G. White En-2

CERTIFIED TO BE CORRECT

Louis G. White En-2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 2nd February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	4	29.99		10	OZ	NS	10	6	—	—
0400	NE	4	3008		12	OZ	NS	10	6	—	—
0800	NE	4	3020		14	OZ	NS	10	6	—	—
1200	NW	3	3022		17	OZ	NS	10	6	—	—
1600	NW	3	3024		18	O	NS	10	6	—	—
2000	NE	2	3026		20	O	NS	10	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1695	19	9,800
EXPENDED	15	-	200
REMAINING	1680	19	9,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		00	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N O/S

L. M. Adams SN

0400-0800

0400 Checked All A/N O/S

0540 Rec PO20954Z from Castle Hill L/B/S

0700 Secured Main Light

0800-1200 L. M. Adams SN

0800 Morning colors, Quarters - Turned to Station work

1130 Started station machinery

1200-1600 L. M. Adams SN

1200 Chow down, Rec PO216347Z from Castle Hill L/B/S

1230 Field day, Turned to - Secured station machinery

1600-2000 L. M. Adams SN

1600 Secured from station work

1630 Main Light on Roy BM-1 liberty to Report 1AD Groton Conn. to Leadership School 2/4/62

1702 Evening colors

2000-2400 L. M. Adams SN

2000 Checked All A/N O/S

L. M. Adams SN

1200 Murphy FN Reports to Block Island this date

CERTIFIED TO BE CORRECT

Louis G. White EN-2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 3rd February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NE	2	3000		18	om	NS	10	6	—	—
0400	NE	3	3002		19	om	NS	10	6	—	—
0800	NE	3	3001		24	om	NS	10	6	—	—
1200	NE	2	2986		21	OFS	NS	10	2	—	—
1600	NE	1	2978		32	OF	NS	10	2	—	—
2000	Calm		2978		30	om	NS	10	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1680	19	9,600
EXPENDED	15	—	200
REMAINING	1665	19	9,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1030

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0900	0930		30	15
1030	1800	7	30	15
TOTAL FOR DAY		8	00	15
TOTAL FOR MONTH		8	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N v/s

0400-0800 L. M. Adams SN

0400 Checked All A/N v/s
0700 Secured Main Light

0800-1200 L. M. Adams SN

0800 Morning colors - Quarters - Turned to station work
0900 Low visibility due to fog & snow, Turned on Main Light foghorn & Gull RK's bell
0930 Secured Main Light, Foghorn & Gull RK's bell
1030 Low visibility due to fog & snow, Turned on Main Light Foghorn & Gull RK'S bell

1200-1600 L. M. Adams SN

1200 Chow down, All A/N not v/s ~~[illegible]~~
1230 Held Station Inspection
1300 Secured from inspection, Turned to station work

1600-2000 L. M. Adams SN

1600 Checked All A/N not v/s
1630 Secured from station work
1703 Evening colors, All A/N not v/s
1800 Secured Fog Horn and Gull RKs Bell

2000-2400 L. M. Adams SN

2000 Checked All A/N v/s

L. M. Adams SN

CERTIFIED TO BE CORRECT

Louis J. White Cn-2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 4th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2998		25	OM	NS	10	6	—	—
0400	SW	2	2980		21	OM	NS	10	6	—	—
0800	SW	3	2976		32	OF	NS	10	2	—	—
1200	SW	3	2980		40	OF	NS	10	3	—	—
1600	SW	3	2976		40	OM	NS	10	4	—	—
2000	SW	3	2984		36	OM	NS	10	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1665	19	9,400
EXPENDED	15	—	200
REMAINING	1650	19	9,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1200 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0700	1200	5	00	15
1300	1430	1	30	15
2030	2200	1	30	15
TOTAL FOR DAY		8	00	15
TOTAL FOR MONTH		16	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked vis A/N

0400-0800 S.M. Adams SN

0400 Checked vis A/N

0700 Started fog Horn and Gull RKs Bell

0800-1200 S.M. Adams SN

0800 Morning colors, Quarters - Turned to Station work

1200-1600 S.M. Adams SN

1200 Secured Fog Horn, Gull RKs bell & Main Light

1300 Started Fog Horn, Gull RKs' bell & Main Light due to Fog

1430 Secured Main Light, Gull RK's bell & Foghorn

S.M. Adams SN

1600-2000

1600 Secured from station work, Checked All A/N vis

1630 Main Light on

1705 Evening colors

S.M. Adams SN

2000-2400

2000 All A/N vis

2030 Started Fog Horn & Gull RKs, Bell

S.M. Adams SN

2200 Secured Foghorn & Gull RK's bell

CERTIFIED TO BE CORRECT

Louis G. White

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Light Station Rose Island

DATE Monday 5th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2984		40	BC	ASST	3	5	—	—
0400	SW	2	2986		42	OF	NS	10	2	—	—
0800	SW	1	2982		45	OF	NS	10	2	—	—
1200	SW	2	2950		47	BC	AS/ST	10	7	—	—
1600	SW	3	2948		45	BC	ASST	2	7	—	—
2000	SW	2	2947		40	BC	ASST	3	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1650	19	9,200
EXPENDED	20	—	200
REMAINING	1630	19	9000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0400	0900	5	00	15
TOTAL FOR DAY		5	00	
TOTAL FOR MONTH		21	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis

S.M. Adams SN

0400-0800

0400 Started ~~Main Light~~ Foghorn and Gull Rks Bell

0430 Received Pr. 050914Z Display Small Craft Warnings

S.M. Adams SN

0800-1200

0800 Morning colors, Quarters - Turned to Station work

0830 Murphy FN Transfered To Block Island L/Boat Station To Report in By 1600

1100 Group Commander Arrived Station for Inspection

1200 Group Commander Departed Station on 64302 also Towed 1671C To Castle Hill for Transfer To Woods Hole for Repairs

1230 ADAMS Departed Station for Newport for Chow in Skif. CG-16585

1300 ADAMS Arrived Station in Skif 16585

1600-2000 S.M. Adams SN

1600 Checked All A/N vis

1630 Main Light on, Evening colors

1705

S.M. Adams SN

2000-2400

2000 Checked vis A/N.

L G White En-2

CERTIFIED TO BE CORRECT

Louis G. White En-2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 6th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2946		38	~~ASST~~ BC	AS/ST	3	8	—	—
0400	SW	2	2946		34	~~ASST~~ BC	AS/ST	3	8	—	—
0800	SW	3	2950		32	~~BC~~ BC	ASST	3	8	—	—
1200	NNW	3	2963		29	BC	ASST	2	8	—	—
1600	NW	2	2970		26	BC	ASST	2	8	—	—
2000	N	2	2976		24	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1630	19	9000
EXPENDED	15	—	200
REMAINING	1615	19	8,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		21	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked vis A/N

Louis G. White En-2

0400 - 0800

0400 checked vis A/N

Louis G. White En-2

0700 Secured Main Light

0800 - 1200

0800 Morning colors, Quarters - Checked All A/N vis - Turned to Station work

S. M. Adams SN

1200 - 1600

1200 Chow down, All A/N vis

1230 Turned to station work

S. M. Adams SN

1600 - 2000

1600 checked vis A/N

1630 Turned on Main light, Secured station work

1707 Evening colors

S. M. Adams SN

2000 - 2400

2000 Checked All A/N vis

S. M. Adams SN

CERTIFIED TO BE CORRECT

Louis G. White En-2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 7th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	3000		21	BO	ASST	0	9	—	—
0400	NW	2	3006		18	BO	ASST	0	9	—	—
0800	NW	2	3012		16	BO	ASST	0	9	—	—
1200	NW	2	3012		22	BC	ASST	2	8	—	—
1600	NW	2	3014		20	BC	ASST	2	8	—	—
2000	NW	2	317		16	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1615	19	8800
EXPENDED	20	—	200
REMAINING	1595	19	8600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	~~4~~ 3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL. OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		21	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N Vis

0400-0800 S. M. Adams SN

0400 Checked All A/N Vis
0700 Secured Main Light, Checked All A/N Vis

S. M. Adams SN

0800-1200

0800 Morning colors, Quarters - Turned to Station work
0850 CG 36453 moored station with Gadomski FA off liberty & Adams SN on liberty

Gadomski Reported Aboard

1115 Received P071522Z Lower Smallcraft

1200-1600 L G White

1200 checked Vis A/N Chow
1230 Drill
1300 Turn To Station Work

L G White

1600-2000

1600 checked Vis A/N
1630 Turned on Main Light Secured Station Work
1700 Colors

L G White En-2

2000-2400

2000 Checked Vis A/N

CERTIFIED TO BE CORRECT

Louis G. White En-2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 8th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	3018		18	BC	ASST	3	8		
0400	SSW	2	3018		20	BO	NS	5	8		
0800	SSW	2	3018		28	O	NS	10	7		
1200	SW	2	3014		30	S	NS	10	7		
1600	SW	2	3009		32	BC	ASST	8	8		
2000	S	2	3004		38	BC	ASST	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1595	19	8600
EXPENDED	20	—	200
REMAINING	1575	19	8400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	~~2~~ 3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		21	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

6000 - 0400

0000-Checked Vis A/N

L G White

0400 - 0800

0400-checked Vis A/N
0700 - secured Main Light

L G White

0800 - 1200

0800 Morning Colors Turn To Station Work

L G White

1200. - 1600

1200 Chow
1220 grass fire Tried To Put out
1252 CG64309 Arrived To Help with Fire
13:15 CG36465 Arrived This unit
1530 CG36485 Departed Unit

L G White

1600 - 2000

1600 checked Vis A/N
1630 Turned on Main Light
1700 Colors
1900 CG64309 Departed for Newport for chow

L G White

2000 - 24000

2000 Checked Vis A/N
2050 CG 64309 Arrived from Newport
2300 CG64309 Departed Station

L G White

CERTIFIED TO BE CORRECT

Louis G. White En2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 9th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	3000		34	BC	AS/ST	3	8		
0400	SE	2	2996		28	BC	AS/ST	4	8		
0800	E	1	2988	—	32	BC	AS/ST	5	8	—	—
1200	E	2	2918		39	BC	AS/ST	4	8		
1600	E	2	2968		37	BC	AS/ST	8	7		
2000	N	2	2960		30	S	NS	10	3		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1575	19	8400
EXPENDED	20	—	200
REMAINING	1555	19	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1730	2400	6	30	15
TOTAL FOR DAY		6	30	
TOTAL FOR MONTH		27	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START
TIME STOP

RADIOBEACON TEST

TIME START
TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N L G White

0400 - 0800

0400 Checked Vis A/N

0700 Secored Main Light

L G White

0800 - 1200

0800 Mornings Colors Turn To Station Work

L G White

1200 - 1600

1200 Chow

1215 Received P0916 34Z Display Gale Warnings 11 A.M.

1230 Started Station Machinery Turn To Station Work

1330 Secored Station Machinery

~~1515 CG40522 Moored Station With Stuzz En-2~~ LGW

~~1518 CG 40522 Departed Station~~ LGW

1600 - 2000

1600 Checked Vis. A/N

1630 Turned on Main Light

1700 Colors

1730 Started Fog Horn and Gull Rks Bell

L G White

2000 - 2400

2000 Checked Vis A/N

2122 Received P100226Z Lower Gale To Small Craft

L G White

CERTIFIED TO BE CORRECT

Louis G. White En 2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 10th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNE	2	2950		35	S	NS	10	4		
0400	N	3	2960		32	BC	NS	8	7		
0800	N	3	2970		24	BC	NS	7	8		
1200	N	3	2976		27	BC	NS	6	8		
1600	NW	3	2980		24	S-O	NS	9	7		
2000	NW	3	3000		15	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1555	19	8200
EXPENDED	20	—	200
REMAINING	1535	19	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0300	3	00	15
TOTAL FOR DAY		3	00	
TOTAL FOR MONTH		30	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N
0300 Secured Fog Horn and Gull RKs Bell

L G White

0400 - 8000

0400 checked Vis A/N
0700 ~~Colors~~ Secured Main light
0

L G White

0800 - 1200

0800 Colors Turn To Station Work

L G White

1200 - 1600

1200 Chow,
1215 ADAM's SN Called Missed Bus in Providence
1230 Turn To Station Work

L G White AWOL

1600 - 2000

1600 Checked Vis. A/N Held Station Inspection
1630 Turned on Main Light Secured Station Work
1700 Evening Colors

L G White

2000 - 2400

2000 - Checked Vis A/N

L.G. White

CERTIFIED TO BE CORRECT

Louis G. White En2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 11th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	3008		12	BC	AS/ST	4	8		
0400	N	3	3012		8	BC	AS/ST	4	8		
0800	N	3	3010		14	BC	AS/ST	3	8		
1200	N	3	3008		20	BC	ASST	3	8		
1600	N	3	3008		21	BC	AS/ST	3	8		
2000	N	2	3006		22	BC	AS/ST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1535	19	8000
EXPENDED	20	—	200
REMAINING	1575	19	7800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL: TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON: TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		30	30	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000-Checked Vis A/N

L.G. White

0400-0800

0400 Checked Vis A/N.

0700 Secured Main Light

L.G. White

0800-12000

0800 Colors Turn To

L.G. White

1200-1600

1200 Chow Holliday Routine

L.G. White

1600-2000

1600 Checked Vis A/N

1630 Torned on Main Light

1700 Colors

L.G. White

2000-2400

2000 Checked Vis A/N

L.G. White

CERTIFIED TO BE CORRECT

Louis G. White

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 12th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	3004		18	BC	AS/ST	3	8	—	—
0400	N	2	3000		22	BC	AS/ST	3	8	—	—
0800	N	2	3000		30	BC	AS/ST	3	8	—	—
1200	N	1	2996		30	BC	AS/ST	2	8	—	—
1600	N	1	2992		15	BC	ASST	2	8	—	—
2000	N	1	29.96		23	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1515	19	7800
EXPENDED	15	—	200
REMAINING	1500	19	7600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		3030		15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000-Checked Vis - A/N

LG White

0400-0800

0400 checked Vis A/N

0700 Secured Main Light

LG White

0800-1200

0800 colors Turn To Station Work

LG White

1200-1600

1200 chow

1230 Held Drill

1300 Turn To

1520 Received P122030Z Lower Small Craft Warnings

LG White

1600-2000

1600 checked Vis A/N

1630 Secured Station Work

1700 Turned on Main Light

1715 colors

1830 CG40522 moored station with Adams SN off liberty, & Hagert BM-2 T.A.D.

1845 CG40522 departed station with White EN-2 on liberty

2000-2400

2000 Checked All A/N Vis

L.M. Adams SN

CERTIFIED TO BE CORRECT

R E Hagert BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 13th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	2998		20	BC	ASST	0	8	—	—
0400	NW	1	2999		23	BC	ASST	0	8	—	—
0800	NW	2	3002		26	BC	ASST	1	8	—	—
1200	NW	2	3004		32	BC	ASST	1	8	—	—
1600	N	2	3006		34	BC	ASST	1	8	—	—
2000	Calm		3007		28	BC	ASST	1	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1500	19	7600
EXPENDED	15	—	200
REMAINING	1485	19	7400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		30	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N v/s

0400-0800 L. M. Adams SN

0400 Checked All A/N v/s

0700 Secured Main Light L. M. Adams SN

0800-1200

0800 Morning colors, Quarters - Turned to station work

1030 Started station machinery for test

1200-1600 L. M. Adams SN

1230 Secured station machinery

1300 CG 16716 departed station with [redacted] Gadomski FA on liberty & supplies

1345 CG 16716 moored station with [redacted] Supplies

1430 Started foghorn for test

1500 Secured foghorn, Hagert BM-2 departed station Enroute Castle Hill LBTS for supplies

L. M. Adams SN

1600-2000

1615 Hagert BM-2 moored station with supplies

1700 Main Light on

↑ 1630 Secured station work

1716 Evening colors

L M Adams SN

2000-2400

2000 Checked All A/N v/s

L. M. Adams SN

CERTIFIED TO BE CORRECT

R. E. Hagert BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 14th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3006		24	BC	ASST	2	8	–	–
0400	SW	2	3000		26	BC	ASST	2	8	–	–
0800	NE	8	2990		28	OFS	NS	10	2	–	–
1200	NE	8	2970		28	OFS	NS	10	2	–	–
1600	NE	8	2956		24	OFS	NS	10	2	–	–
2000	NNE	6	2954		28	OFS	NS	10	2	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1500	19	7400
EXPENDED	15	–	200
REMAINING	1485	19	7200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 0900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0900	2400	15	00	15
TOTAL FOR DAY		15	00	
TOTAL FOR MONTH		45	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

Checked All A/N vis

S. M. Adams SN

0400-0800

0400 Checked All A/N vis

0430 Received P140844 Z From Castle Hill L/B/S
Hoist Gale Warnings

0700 Secured Main Light

S. M. Adams SN

0800-1200

0800 Morning colors - Quarters - Turned to

0900 Low visibility due to Fog & Snow, Turned on
Main Light - foghorn & Gull RKS bell

S. M. Adams SN

1200-1600

1200 Checked All A/N not vis, Chow down

1230 Held drill

1300 Turned to Station work

S. M. Adams SN

1600-2000

1600 Checked All A/N not vis, Secured from
station work

1717 Evening colors

2000-2400

2000 Checked All A/N not vis

S. M. Adams SN

CERTIFIED TO BE CORRECT

R E Hagert BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 15th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	6	2960		23	OFS	NS	10	1	—	—
0400	NE	6	2990		25	OFS	NS	10	2	—	—
0800	NE	6	2880		27	OS	NS	10	2	—	—
1200	NE	6	2990		25	O2	NS	10	6	—	—
1600	NE	5	2997		25	BC	ASSt	2	6	-	-
2000	NE	5	2998		24	BC	ASST	2	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1485	19	7200
EXPENDED	15	—	200
REMAINING	1470	19	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0830	8	30	15
TOTAL FOR DAY		8	30	
TOTAL FOR MONTH		54	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N not u/s

S.M. Adams SN

0400-0800

0400 Checked All A/N not u/s

S.M. Adams SN

0800-1200

0800 Morning colors - Quarters - Turned to

0830 Secured Foghorn, Gull Rk's Bell & Main Light

0830 Started station machinery for test

0930 Secured station machinery

1000 Electric compressor inoperative this date

1200-1600 S.M. Adams SN

1200 Checked All A/N u/s, Chow down

1230 Held drill

1300 Secured from drill, turned to

S.M. Adams SN

1600-2000

1600 Checked All A/N u/s. Secured from station work

1718 Evening colors

1725 Received P152200Z from Castle Hill L/B/S Lower Gale Warnings

2000-2400

2000 Checked All A/N u/s

S.M. Adams SN

CERTIFIED TO BE CORRECT

R C Hagerst BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 16th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	3000		24	BC	ASST	2	8	—	—
0400	N	3	3001		26	BC	ASST	2	8	—	—
0800	N	3	3000		28	BC	ASST	2	8	—	—
1200	Calm		2996		29	BC	ASST	2	8	—	—
1600	E	2	2984		32	BC	ASST	3	7	—	—
2000	NE	2	2980		26	BC	ASST	3	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1475	19	7000
EXPENDED		—	
REMAINING	1460	19	6800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1900	2030	1	30	15
TOTAL FOR DAY		1	30	
TOTAL FOR MONTH		55	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis

S.M. Adams SN

0400-0800

0400 Checked All A/N vis

0700 Secured Main Light S.M. Adams SN

0800-1200

0800 Morning colors - Quarters - Turned to station work

1000 CG40522 moored station with White EN-2 off liberty

1015 CG40522 departed station S.M. Adams SN

1200-1600

1200 Chown down, Checked All A/N vis

1230 Held drill, Hagert BM-2 departed station in CG16585 enroute moorings & supplies

1300 Turned to station work

⇦ 1030 Electric compressor ~~is~~ operating properly this date

~~1600-2000~~

1415 CG16585 departed station with Hagert BM-2 for liberty & supplies

1600 CG16585 moored station with Godamski FA & supplies

1600-2000 S.M. Adams SN

1600 Secured from station work, Checked All A/N vis

1620 Received P162050Z Display Small Craft warnings

1720 Evening colors

☆ 1700 Main Light ON.

1900 Low visibility due to fog & Snow, Foghorn ON & Gull RK's Bell

L.G. White

2000-2400

2000 checked vis A/N.

2020 Secured Foghorn & Gull RKs Bell

CERTIFIED TO BE CORRECT

Louis G. White En2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 17th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2978		26	BC	ASST	3	7	—	—
0400	NW	2	2976		28	BC	ASST	3	7	—	—
0800	NW	2	2970		30	BC	ASST	3	7	—	—
1200	NW	2	29.68		30	BC	ASST	3	7	—	—
1600	NW	2	29.66		32	BC	ASST	2	7	—	—
2000	NW	2	29.78		30	BC	ASST	3	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1475	19	6800
EXPENDED	15	—	200
REMAINING	1460	19	6600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		55	30	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N u's

S.M. Adams SN

0400-0800

0400 Checked All A/N u's

0700 Secured Main Light S.M. Adams SN

0800-1200

0800 Morning colors, Quarters, Turned to

1100 White EN-2 departed station in CG16585 for Newport & supplies

S.M. Adams SN

1200-1600

1200 Chow down, White EN-2 moored station with supplies

1230 Held drill

1300 Turned to

S.M. Adams SN

1600-2000

1600 Checked All A/N u's, Secured from work

1700 Main Light in operation

1721 Evening colors

S.M. Adams SN

2000-2400

2000 Checked All A/N u's

S.M. Adams SN

CERTIFIED TO BE CORRECT

SP E Hazel BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 18th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	3000		28	BC	ASST	2	8	—	—
0400	NW	2	3008		29	BC	ASST	2	8	—	—
0800	NW	2	3016		31	BC	ASST	2	8	—	—
1200	NW	1	3018		36	BC	ASST	2	8	—	—
1600	NW	1	3018		32	BC	ASST	3	8	—	—
2000	calm		3022		30	BC	ASST	3	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1460	19	6600
EXPENDED	15	—	
REMAINING	1445	19	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		55	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N uis

0400-0800 S.M. Adams SN

0400 Checked All A/N uis
0700 Main Light secured

0800-1200 S.M. Adams SN

0800 Morning colors - Quarters - Turned to station work

1200-1600 S.M. Adams SN

1200 Chow down, Checked All A/N uis - Hagert BM-2 return from liberty
1230 Holiday Routine
~~1300 [illegible]~~

L J White En-2

1600-2000

1600 Checked uis A/N
1700 Turned on main light
1722 Evening colors

L J White En-2

2000-2400

2000 Checked uis A/N

2215 North Light Extinguished notified Castle Hill of such

S. M. Adams SN

CERTIFIED TO BE CORRECT

R E Hagert BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 19th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3026		23	BC	ASST	2	8	–	–
0400	NE	2	3014		25	BC	ASST	2	8	–	–
0800	NE	2	3008		24	OFS	~~ASST~~ NS	10	2	–	–
1200	NE	4	2986		30	OS	NS	10	2	–	–
1600	NNE	4	2974		32	O	NS	10	7		
2000	NNE	4	2962		33	O	NS	10	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1445	19	6400
EXPENDED		–	
REMAINING	1430	19	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0900	1200	3	00	15
1500	1530		30	15
TOTAL FOR DAY		3	30	
TOTAL FOR MONTH		59	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis except North Light

0400-0800 S. M. Adams SN

0400 Checked All A/N vis
0518 Received P. 190936Z
0700 Secured Main Light

S. M. Adams SN -

0800-1200

0800 Morning colors - Quarters - Turned to Small Craft
0900 Low visibility Main Light on - Foghorn & Gull RK'S Bell

1042 Received Operational Emed. 191516Z from Castle Hill L/B/S

L. G. White En-2

1200-1600

1200 Chow Secured Fog Horn Main Light & Gull RKs Bell
1230 Held Drill
13000 Turn To Station Work
1500 Started Fog Horn Main Light & Gull RKs Bell
1530 Secured Fog Horn Main Light and Gull RKs Bell

L. G. White En-2

1600-2000

1600 Secured from station work
1728 Evening colors
1700 Turned on Main Light

L G White En-2

2000-2400

2000 Checked Vis A/N

CERTIFIED TO BE CORRECT

SP C Hagget BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 20th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	2766		28	BC	ASST	2	8	—	—
0400	NW	1	2968		30	BC	ASST	2	8	—	—
0800	NW	2	2970		30	BC	ASST	2	8	—	—
1200	NW	3	2976		30	BC	ASST	2	8	—	—
1600	NW	3	2978		31	BC	ASST	2	8	—	—
2000	NW	3	2976		30	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1430	19	6200
EXPENDED	15	-	200
REMAINING	1415	19	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		5900		15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000-checked Vis A/N

0400-0800 S.M. Adams SN

0400-checked Vis A/N
0500-Received P200924Z
0700-Secured Main Light

0800-1200 S.M. Adams SN

0800 colors Turn To Station Work
0830 CG 40522 Arrived Unit With Hagette BM-1

1200-1600 S.M. Adams SN

1200 Chow down
1330 Held drill
1300 Turned to

1600-2000 S.M. Adams SN

1600 Checked All A/N Vis.
1725 Evening colors Main Light Burnedout

2000-2400

2000 Checked All A/N Vis

S.M. Adams SN

2145 Rec P210206Z From Castle Hill L/B/S

CERTIFIED TO BE CORRECT

R.C. Hagert BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 21st February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2980		30	BC	ASST	2	8	—	—
0400	NW	2	2994		33	BC	ASST	2	8	—	—
0800	NW	2	3000		32	BC	ASST	2	8	—	—
1200	NW	2	3006		32	BC	ASST	2	8	—	—
1600	SW	2	3008		32	BC	ASST	2	8	—	—
2000	SW	2	3006		32	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1415	19	6000
EXPENDED	15	—	200
REMAINING	1400	19	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		59	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis

S. M. Adams SN

0400-0800

0400 Checked All A/N vis

0700 Secured Main Light

0800-1200 S.M. Adams SN

0800 Morning colors - Quarters - Turned to station work

1130 Chow down

1200-1600 S.M. Adams SN

1200 Checked All A/N vis, CG16585 departed station with White EN-2 & Godamski FA on liberty

1230 Held drill

1245 Secured from drill - Turned to station work

S.M. Adams SN

1600-2000

1600 Checked All A/N vis,

1700 Main Light in Operation -

1728 Evening colors

S.M. Adams SN

2000-2400

2000 Checked All A/N vis

S.M. Adams SN

☆0945 Rec P210206Z from Castle Hill LIB/s

CERTIFIED TO BE CORRECT

Richard E Hagert BM2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 22nd February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2990		30	OFS	NS	10	2	—	—
0400	SW	2	2986		26	OFS	NS	10	3	—	—
0800	NE	2	2990		30	O	NS	4	7	—	—
1200	NE	3	2962		29	OF	NS	10	2	—	—
1600	NE	2	2964		32	OF	NS	10	2	—	—
2000	N	2	2970		32	OF	NS	8	3	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1400	19	5800
EXPENDED	15	—	200
REMAINING	1385	19	5600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0800 Time Lighted 1230

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2400	0800	8	00	15
1230	1800	5	30	15
2000	2400	4	00	15
TOTAL FOR DAY		17	30	15
TOTAL FOR MONTH		76	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 Low visibility Foghorn ON & Gull RK'S Bell
S.M. Adams SN

0400-0800
0400 Checked All A/N not vis
0700 Rec P221044Z from Castle Hill LB/S
Change present Gale warings to S/C
0800-1200 S.M. Adams SN

0800 Morning colors - Quarters - Turned to station
work - Secured Main Light, foghorn, & Gull RK'S
bell, Checked All A/N vis
S.M. Adams SN
1200-1600

1200 Chow down, Checked All A/N vis
1230 Low visibility Foghorn & Gull RK'S Bell
& Main Light on
1600-2000 S.M. Adams SN
1600 Secured All Station work
1729 Evening colors
1800 Secured Foghorn & Gull RK'S Bell
2000-2400 S.M. Adams SN
2000 Turned on Foghorn & Gull RK'S bell
low visibility

CERTIFIED TO BE CORRECT

Richard E Hazert BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 23rd February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		2994		32	OF	NS	10	2	—	—
0400	Calm		2986		36	OF	NS	10	2	—	—
0800	Calm		2998		40	OF	NS	10	2	—	—
1200	Calm		3002		36	Of	NS	10	2	—	—
1600	calm		3006		38	0	NS	10	7	—	—
2000	calm		3010		38	0	NS	10	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1385	19	5600
EXPENDED	15	—	200
REMAINING	1370	19	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	5	
AL, AWL, AOL		
AH		
PRESENT	5	

MAIN LIGHT Time Extinguished 1300 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1300	13	00	15
TOTAL FOR DAY		13	00	
TOTAL FOR MONTH		89	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N not vis

0400-0800 S.M. Adams SN

0400 Checked All A/N not vis

0450 Rec P230948Z From Castle Hill L/B/S

0800-1200 S.M. Adams SN

0800 Morning colors - Quarters - Turned to station work

S.M. Adams SN

1200-1600

1200 Chow down White En2 & Godamski FA. Return from liberty

1230 Held drill

1300 Turned to station work, started station machinery

1400 Secured station machinery

L G White En-2

1600-2000

1600 McWilliams B.G. BM-1 Reported Aboard Unit (287-025).

1700 Turn on Main Light

1715 Colors

1730

L G White En-2

2000-2400

2000 Checked vis A/N

L G White En-2

CERTIFIED TO BE CORRECT

Richard E Hogert BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 24th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	2990		36	OR	NS	10	7		
0400	N	3	2989		36	O	NS	10	7		
0800	N	3	2988		34	O	NS	10	7		
1200	NNW	4	2986		32	O	NS	10	7		
1600	NW	4	2984		28	OS	NS	8	2		
2000	NNW	3	3000		29	BC	AS/St	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1370	19	5400
EXPENDED	20	–	200
REMAINING	1350	19	5200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	5	
AL, AWL, AOL		
AH		
PRESENT	5	

MAIN LIGHT Time Extinguished 0730 Time Lighted 1530

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0630	0730	1	00	15
1530	1700	1	30	15
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		92	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked Vis A/N

L.G. White En-2

0400 - 0800

0400 Checked Vis A/N
0630 STarTed Fog Horn Gull RKs Bell
0730 Secured Fog Horn Main Light & Gull RK Bell

0800-1200

Louis G. White En-2

0800 colors

1200 - 1600

1200 Chow
1230 Held station Inspection
1300 turn to
1530 started Fog horn main lights Gull Rks Bell

Louis G. White En-2

1600 - 2000

1600 Checked Vis A/N Secured Station Work
1700 Secured Fog Horn Gull RKs Bell

Louis G. White En-2

2000 - 2400

2000 - Checked Vis A/N

Louis G. White En-2

CERTIFIED TO BE CORRECT

Richard E Hagert
(Officer in Charge)

I

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 25th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	2	3026		30	BC	ASST	2	8	—	—
0400	NNW	2	3030		30	BC	ASST	2	8	—	—
0800	calm		3038		30	BC	ASST	2	8	—	—
1200	Calm		3042		29	BC	ASST	2	8	—	—
1600	SE	1	3042		29	BC	ASST	3	8	—	—
2000	SE	1	3040		28	BC	ASST	4	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1350	19	5200
EXPENDED	20	—	200
REMAINING	1330	19	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	45	
AL, AWL, AOL		
AH		
PRESENT	5	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1200

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		92	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked Vis A/N

Louis G. White En-2

0400-0800

0400 Checked Vis A/N
0520 Received P250958Z
0700 Secured Main Light

Louis G. White En-2

0800-1200

0800 Colors Turn To

Louis G. White En-2

1200-1600

1200 Chow Holliday Routine

Louis G. White En-2

1600-2000

1600 checked Vis A/N
1700 Turned on Main Light
1730 colors

Louis G. White En-2

2000-2400

2000 checked Vis A/N

Louis G. White En-2

CERTIFIED TO BE CORRECT

Richard C Hazet
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 26th February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	3032		26	BC	AS/ST	5	8	—	
0400	NE	2	3028		28	BC	NS	5	8	—	
0800	NE	1	3020		28	OR	NS	10	5	—	
1200	NE	2	2998		36	O	NS	10	7	—	
1600	NE	2	2996		40	OR	NS	10	5	—	
2000	NE	2	2994		38	O	NS	10	5	—	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1330	19	5000
EXPENDED	15	—	200
REMAINING	1315	19	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	~~4~~ 5	
AL, AWL, AOL		
AH		
PRESENT	5	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1030	1130	1	00	15
1700	2400	7	00	
TOTAL FOR DAY		8	00	
TOTAL FOR MONTH		100	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked Vis A/N

Louis G. White En-2

0400-0800

0400 Check Vis A/N

0700 Secured Main Light

Louis G. White En-2

0800-1200

0800 Colors Turn To

1030 Started Fog horn Gull RKs Bell & Main light.

1130 Secured Fog horn Gull RKs. Bell & Main Light

Louis G. White En-2

1200-1600

1200 chow - Adam SN departed on liberty

1230 Held Drill

1300 Turn To

Louis G. White En-2

1600-2000

1600 Checked Vis A/N

1630 Secured Station Work

1700 Turned on Main Light

1730 Started Fog Horn & Gull RKs Bell, Evening colors

Louis G. White En-2

2000-2400

2000 Checked All A/N Vis

L. M. Adams SN

CERTIFIED TO BE CORRECT

Richard E Hagert BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 27TH February 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	2996		36	OR	NS	10	4	—	—
0400	NW	2	2996		36	OF	NS	10	4	—	—
0800	NW	2	2997		36	OF	NS	10	4	—	—
1200	NW	2	2998		35	OF	NS	10	4	—	—
1600	NW	2	2997		34	O	NS	10	4	—	—
2000											

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1315	19	4800
EXPENDED	15	-	200
REMAINING	1300	19	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	~~4~~5	
AL, AWL, AOL		
AH		
PRESENT	5	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1200

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0000	0830	8	30	15
1200	1500	3	00	15
2200	2330	1	30	15
TOTAL FOR DAY		13	00	
TOTAL FOR MONTH		113	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N not vis

0400-0800 S.M. Adams SN

0400 Checked All A/N not vis
0530 Received P270500Z from Castle Hill
L/B/S

0800-1200 S.M. Adams SN

0800 Morning colors - Quarters - Turned to
0830 Secured Main Light - foghorn & Gull RK's
bell

1200-1600 S.M. Adams SN

1200 Chow down - Low visibility - Main Light
ON, foghorn & Gull RK's bell
1230 Turned to Held drill
1400 CG 16585 departed station enroute moorings
for supplies & enroute Castle Hill L/B/S
for supplies with Adams SN
1500 Secured foghorn - Main Light & Gull RK's bell

1600-2000 S.M. Adams SN

1600 Checked All A/N vis
1630 CG 16585 moored station with Adams SN
& supplies
1700 Main Light on
1730 Evening colors

2000-2400

2000 Checked All A/N vis
2200 Low vis Foghorn on & Gull RK's bell
2330 Secured Foghorn & Gull RK's bell

S.M. Adams SN

CERTIFIED TO BE CORRECT

Richard E Hazert BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 28th February 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	2998	35	35	O	NS	10	8	—	—
0400	NE	2	2986	30	32	BC	ASST	2	8	—	—
0800	NE	2	2988	33	32	BC	ASST	2	8	—	—
1200	NE	2	2982	32	35	O	NS	10	8	—	—
1600	NE	2	2983	35	35	OF	NS	10	4	—	—
2000	NE	2	2982	34	35	OF	NS	10	4	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1300	19	4600
EXPENDED	15	—	200
REMAINING	1285	19	4400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	5	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1500

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1500	1630	1	30	15
1800	2130	3	30	15
TOTAL FOR DAY		5	00	
TOTAL FOR MONTH		118	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N v/s

0400-0800 S. M. Adams SN

0400 Checked All A/N v/s

0700 Secured Main Light

0800-1200 S. M. Adams SN

0800 Morning colors - Quarters - Turned to station work

1200-1600 S. M. Adams SN

1200 Chow down - White EN-2 & Godamski FA departed on liberty & Adam SN returned

1500 Foghorn on & Main Light & Gull Rk's bell due to Low visibility

S. M. Adams SN

1600-2000

1600 Checked All A/N not v/s

1630 Secured station work - Secured Foghorn & Gull Rk's bell & Main Light

1700 Main Light on

1800 Low visibility due to Fog - Gull Rk's bell & Foghorn on

S. M. Adams SN

2000-2400

2000 Checked All A/N not v/s

2130 Secured foghorn & Gull Rk's bell

2307 Received P010312Z from Castle Hill L/B/S

S. M. Adams SN

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1